

References

Module I: Innovative feeds and feeding strategies for improving welfare & performance of fish in sustainable and organic aquaculture

By **Elena Mente** - Aristotle University of Thessaloniki (emente@vet.auth.gr) and **Giuseppe Lembo** - COISPA Tecnologia & Ricerca (lembo@coispa.it)

Session I

Boutros, N., Shortis, M. R., & Harvey, E. S. (2015). A comparison of calibration methods and system configurations of underwater stereo-video systems for applications in marine ecology. *Limnology and Oceanography: Methods*, 13(5), 224-236.

Carbonara, P., Scolamacchia, M., Spedicato, M. T., Zupa, W., McKinley, R. S. and Lembo, G. (2014) 'Muscle activity as a key indicator of welfare in farmed European sea bass (*Dicentrarchus labrax*, L. 1758)', *Aquaculture Research*, pp. 1–14. doi: 10.1111/are.12369.

Chandroo, K. P., Cooke, S. J., McKinley, R. S. and Moccia, R. D. (2005) 'Use of electromyogram telemetry to assess the behavioural and energetic responses of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to transportation stress', *Aquaculture Research*, 36(12), pp. 1226–1238. doi: 10.1111/j.1365-2109.2005.01347.x.

Cooke SJ, Brownscombe JW, Raby GD, Broell F, Hinch SG, Clark TD, Semmens JM. 2016. Remote bioenergetics measurements in wild fish: Opportunities and challenges. *Comparative Biochemistry and Physiology A* 202: 23–37.

Costa, C., Loy, A., Cataudella, S., Davis, D., & Scardi, M. (2006). Extracting fish size using dual underwater cameras. *Aquacultural Engineering*, 35(3), 218-227.

Costa, C., Scardi, M., Vitalini, V., & Cataudella, S. (2009). A dual camera system for counting and sizing Northern Bluefin Tuna (*Thunnus thynnus*; Linnaeus, 1758) stock, during transfer to aquaculture cages, with a semi-automatic Artificial Neural Network tool. *Aquaculture*, 291(3-4), 161-167.

Endo H., Yonemori Y., Hibi K., Ren H., Hayashi T., Tsugawa W., Sode K. (2009). Wireless enzyme sensor system for real-time monitoring of blood glucose levels in fish. *Biosensors and Bioelectronics* 24, 1417–1423.

Han, J., Honda, N., Asada, A., & Shibata, K. (2009). Automated acoustic method for farmed fish counting and sizing during its transfer using DIDSON. In Sixth International Symposium on Underwater Technology (pp. 363-368).

Harvey, E., & Shortis, M. (1995). A system for stereo-video measurement of sub-tidal organisms. *Marine Technology Society Journal*, 29(4), 10-22.

Harvey, E., Cappo, M., Shortis, M., Robson, S., Buchanan, J., & Speare, P. (2003). The accuracy and precision of underwater measurements of length and maximum body depth of southern bluefin tuna (*Thunnus maccoyii*) with a stereo-video camera system. *Fisheries Research*, 63(3), 315-326.



Hazen EL, Maxwell SM, Bailey H, Bograd SJ, Hamann M, Gaspar P, Goldey BJ, Shillinger GL. 2012. Ontogeny in marine tagging and tracking science: Technologies and data gaps. *Marine Ecology Progress Series* 457: 221–240.

Hibi K., Hatanaka k., Takase M., Ren H., Endo H. (2012). Wireless Biosensor System for Real-Time L-Lactic Acid Monitoring in Fish. *Sensors* 12, 6269-6281.

Huvaneers C, et al. 2016. The influence of environmental parameters on the performance and detection range of acoustic receivers. *Methods in Ecology and Evolution* 7: 825–835.

Kessel ST, Cooke SJ, Heupel MR, Hussey NE, Simpfendorfer CA, Vagle S, Fisk AT. 2014. A review of detection range testing in aquatic passive acoustic telemetry studies. *Reviews in Fish Biology and Fisheries* 24: 199–218.

Lembo G, Spedicato MT, Økland F, Carbonara P, Fleming IA, McKinley RS, Thorstad EB, Sisak M, Ragonese S. 2002. A wireless communication system for determining site fidelity of juvenile dusky groupers *Epinephelus marginatus* (Lowe, 1834) using coded acoustic transmitters. *Hydrobiologia* 483: 249–257.

McFarlane, W. J., Cubitt, K. F., Williams, H., Rowsell, D., Moccia, R., Gosine, R. and McKinley, R. S. (2004) 'Can feeding status and stress level be assessed by analyzing patterns of muscle activity in free swimming rainbow trout (*Oncorhynchus mykiss* Walbaum)?', *Aquaculture*, 239(1–4), pp. 467–484. doi: 10.1016/j.aquaculture.2004.05.039.

Noda T., Kawabata Y., Arai N., Mitamura H., Watanabe S. (2013). Monitoring Escape and Feeding Behaviours of Cruiser Fish by Inertial and Magnetic Sensors. *PLoS ONE* 8(11).

Parra L., Sendra S., García L., Lloret J. (2018). Design and Deployment of Low-Cost Sensors for Monitoring the Water Quality and Fish Behaviour in Aquaculture Tanks during the Feeding Process. *Sensors*, 18(3), 750.

Parra, L., Lloret, G., Lloret, J., & Rodilla, M. (2018). Physical sensors for precision aquaculture: A Review. *IEEE Sensors Journal*, 18(10), 3915-3923.

Pérez, D., Ferrero, F. J., Alvarez, I., Valledor, M., & Campo, J. C. (2018, May). Automatic measurement of fish size using stereo vision. In 2018 IEEE International Instrumentation and Measurement Technology Conference (I2MTC) (pp. 1-6). IEEE.

Ruff, B. P., Marchant, J. A., & Frost, A. R. (1995). Fish sizing and monitoring using a stereo image analysis system applied to fish farming. *Aquacultural engineering*, 14(2), 155-173.

Zupa W., Carbonara P., Spedicato M.T., Lembo G. (2015) - Modelling swimming activities and energetic costs in European sea bass (*Dicentrarchus labrax* L., 1758) during critical swimming tests. *Marine and Freshwater Behaviour and Physiology* 48(5): 341-357.

Zion, B. (2012). The use of computer vision technologies in aquaculture—a review. *Computers and electronics in agriculture*, 88, 125-132.



Wu H., Aoki A., Arimoto T., Nakano T., Ohnuki H., Murata M., Ren H., Endo H. (2015). Fish stress become visible: A new attempt to use biosensor for real-time monitoring fish stress. *Biosensors and Bioelectronics*, Volume 67, P. 503-510.

Annex 1

Pubmed: search by topics

Da Silva, L. F. B. A. *et al.* The Role of Temperature, Ammonia and Nitrite to bioluminescence of Aliivibrio fischeri: Towards a new sensor for aquaculture. in *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS* (2018). doi:10.1109/EMBC.2018.8513283

Sun, F. *et al.* A Genetically Encoded Fluorescent Sensor Enables Rapid and Specific Detection of Dopamine in Flies, Fish, and Mice. *Cell* (2018). doi:10.1016/j.cell.2018.06.042

Wilson, S. M., Hinch, S. G., Eliason, E. J., Farrell, A. P. & Cooke, S. J. Calibrating acoustic acceleration transmitters for estimating energy use by wild adult Pacific salmon. *Comp. Biochem. Physiol. - A Mol. Integr. Physiol.* (2013). doi:10.1016/j.cbpa.2012.12.002

Abel, T., Ungerbock, B., Klimant, I. & Mayr, T. Fast responsive, optical trace level ammonia sensor for environmental monitoring. *Chem Cent J* **6**, 124 (2012).

Algera, D. A. *et al.* Cortisol treatment affects locomotor activity and swimming behaviour of male smallmouth bass engaged in paternal care: A field study using acceleration biologgers. *Physiol Behav* **181**, 59–68 (2017).

Almeida, S. A. *et al.* Rapid automated method for on-site determination of sulfadiazine in fish farming: a stainless steel veterinary syringe coated with a selective membrane of PVC serving as a potentiometric detector in a flow-injection-analysis system. *Anal Bioanal Chem* **401**, 3355–3365 (2011).

Bailleul, F., Vacquie-Garcia, J. & Guinet, C. Dissolved Oxygen Sensor in Animal-Borne Instruments: An Innovation for Monitoring the Health of Oceans and Investigating the Functioning of Marine Ecosystems. *PLoS One* **10**, e0132681 (2015).

Bouyoucos, I. A., Suski, C. D., Mandelman, J. W. & Brooks, E. J. Effect of weight and frontal area of external telemetry packages on the kinematics, activity levels and swimming performance of small-bodied sharks. *J Fish Biol* **90**, 2097–2110 (2017).

Brewster, L. R. *et al.* Development and application of a machine learning algorithm for classification of elasmobranch behaviour from accelerometer data. *Mar Biol* **165**, 62 (2018).

Brijs, J. *et al.* The final countdown: Continuous physiological welfare evaluation of farmed fish during common aquaculture practices before and during harvest. *Aquaculture* **495**, 903–911 (2018).



Broell, F., Burnell, C. & Taggart, C. T. Measuring abnormal movements in free-swimming fish with accelerometers: implications for quantifying tag and parasite load. *J Exp Biol* **219**, 695–705 (2016).

Broell, F. *et al.* Accelerometer tags: detecting and identifying activities in fish and the effect of sampling frequency. *J Exp Biol* **216**, 1255–1264 (2013).

Brownscombe, J. W., Lennox, R. J., Danylchuk, A. J. & Cooke, S. J. Estimating fish swimming metrics and metabolic rates with accelerometers: the influence of sampling frequency. *J Fish Biol* **93**, 207–214 (2018).

Brownscombe, J. W. *et al.* The influence of water temperature and accelerometer-determined fight intensity on physiological stress and reflex impairment of angled largemouth bass. *Conserv Physiol* **2**, cou057 (2014).

Chang, C. C., Saad, B., Surif, M., Ahmad, M. N. & Md Shakaff, A. Y. Disposable E-Tongue for the Assessment of Water Quality in Fish Tanks. *Sensors (Basel)* **8**, 3665–3677 (2008).

Chen, Y., Yu, H., Cheng, Y., Cheng, Q. & Li, D. A hybrid intelligent method for three-dimensional short-term prediction of dissolved oxygen content in aquaculture. *PLoS One* **13**, e0192456 (2018).

Chen, Y., Zhen, Z., Yu, H. & Xu, J. Application of Fault Tree Analysis and Fuzzy Neural Networks to Fault Diagnosis in the Internet of Things (IoT) for Aquaculture. *Sensors (Basel)* **17**, (2017).

Clark, T. D. *et al.* Simultaneous biologging of heart rate and acceleration, and their relationships with energy expenditure in free-swimming sockeye salmon (*Oncorhynchus nerka*). *J Comp Physiol B* **180**, 673–684 (2010).

Coffey, D. M. & Holland, K. N. First autonomous recording of in situ dissolved oxygen from free-ranging fish. *Anim. Biotelemetry* **3**, 47 (2015).

Cooke, S. J. *et al.* Remote bioenergetics measurements in wild fish: Opportunities and challenges. *Comp Biochem Physiol A Mol Integr Physiol* **202**, 23–37 (2016).

Endo, H. *et al.* Wireless enzyme sensor system for real-time monitoring of blood glucose levels in fish. *Biosens Bioelectron* **24**, 1417–1423 (2009).

Endo, H. *et al.* A needle-type optical enzyme sensor system for determining glucose levels in fish blood. *Anal Chim Acta* **573–574**, 117–124 (2006).

Fernandes, M., Amorim, J., Vasconcelos, V. & Teles, L. O. Resilience assessment of a biological early warning system based on the locomotor behavior of zebrafish (*Danio rerio*). *Env. Sci Pollut Res Int* **23**, 18858–18868 (2016).

Garcia-Magarino, I., Lacuesta, R. & Lloret, J. ABS-FishCount: An Agent-Based Simulator of Underwater Sensors for Measuring the Amount of Fish. *Sensors (Basel)* **17**, (2017).



Hibi, K., Hatanaka, K., Takase, M., Ren, H. & Endo, H. Wireless biosensor system for real-time L-lactic acid monitoring in fish. *Sensors (Basel)* **12**, 6269–6281 (2012).

Jiang, D. *et al.* A novel screen-printed mast cell-based electrochemical sensor for detecting spoilage bacterial quorum signalling molecules (N-acyl-homoserine-lactones) in freshwater fish. *Biosens Bioelectron* **102**, 396–402 (2018).

Kawabata, Y. *et al.* Use of a gyroscope/accelerometer data logger to identify alternative feeding behaviours in fish. *J Exp Biol* **217**, 3204–3208 (2014).

Kleinhappel, T. K. *et al.* A method for the automated long-term monitoring of three-spined stickleback *Gasterosteus aculeatus* shoal dynamics. *J Fish Biol* **84**, 1228–1233 (2014).

Komeyama, K. *et al.* Measuring the swimming behaviour of a reared Pacific bluefin tuna in a submerged aquaculture net cage. *Aquat. Living Resour.* **24**, 99–105 (2011).

Kuan, G. C. *et al.* Gold-nanoparticle based electrochemical DNA sensor for the detection of fish pathogen *Aphanomyces invadans*. *Talanta* **117**, 312–317 (2013).

Kuklina, I., Kouba, A. & Kozak, P. Real-time monitoring of water quality using fish and crayfish as bio-indicators: a review. *Env. Monit Assess* **185**, 5043–5053 (2013).

Lear, K. O., Gleiss, A. C. & Whitney, N. M. Metabolic rates and the energetic cost of external tag attachment in juvenile blacktip sharks *Carcharhinus limbatus*. *J Fish Biol* **93**, 391–395 (2018).

Lee, M. A. *et al.* Implanted Nanosensors in Marine Organisms for Physiological Biologging: Design, Feasibility, and Species Variability. *ACS Sens* **4**, 32–43 (2019).

Li, F., Wei, Y., Chen, Y., Li, D. & Zhang, X. An Intelligent Optical Dissolved Oxygen Measurement Method Based on a Fluorescent Quenching Mechanism. *Sensors (Basel)* **15**, 30913–30926 (2015).

Li, X. *et al.* A 3D approximate maximum likelihood solver for localization of fish implanted with acoustic transmitters. *Sci Rep* **4**, 7215 (2014).

Lin, B., Xu, J., Lin, K., Li, M. & Lu, M. Low-Cost Automatic Sensor for in Situ Colorimetric Detection of Phosphate and Nitrite in Agricultural Water. *ACS Sens* (2018). doi:10.1021/acssensors.8b00781

Makiguchi, Y., Sugie, Y., Kojima, T. & Naito, Y. Detection of feeding behaviour in common carp *Cyprinus carpio* by using an acceleration data logger to identify mandibular movement. *J Fish Biol* **80**, 2345–2356 (2012).

McPartlin, D. A., Lochhead, M. J., Connell, L. B., Doucette, G. J. & O’Kennedy, R. J. Use of biosensors for the detection of marine toxins. *Essays Biochem* **60**, 49–58 (2016).



Mitamura, H. *et al.* Vertical movements of a Mekong giant catfish (*Pangasianodon gigas*) in Mae Peum Reservoir, Northern Thailand, monitored by a multi-sensor micro data logger. *Zool. Sci* **24**, 643–647 (2007).

Mitson, R. B., Storeton-West, T. J. & Pearson, N. D. Trials of an acoustic transponding fish tag compass. *Biotelem Patient Monit* **9**, 69–79 (1982).

Noda, T., Kawabata, Y., Arai, N., Mitamura, H. & Watanabe, S. Monitoring escape and feeding behaviours of cruiser fish by inertial and magnetic sensors. *PLoS One* **8**, e79392 (2013).

Parra, L., Sendra, S., Garcia, L. & Lloret, J. Design and Deployment of Low-Cost Sensors for Monitoring the Water Quality and Fish Behavior in Aquaculture Tanks during the Feeding Process. *Sensors (Basel)* **18**, (2018).

Parra, L., Sendra, S., Garcia, L. & Lloret, J. Design and Deployment of Low-Cost Sensors for Monitoring the Water Quality and Fish Behavior in Aquaculture Tanks during the Feeding Process. *Sensors (Basel)* **18**, (2018).

Payne, N. L., Taylor, M. D., Watanabe, Y. Y. & Semmens, J. M. From physiology to physics: are we recognizing the flexibility of biologging tools? *J Exp Biol* **217**, 317–322 (2014).

Shi, P., Li, G., Yuan, Y. & Kuang, L. Data Fusion Using Improved Support Degree Function in Aquaculture Wireless Sensor Networks. *Sensors (Basel)* **18**, (2018).

Sykes, P. J., Stryhn, H., McClure, C. A., Brooking, C. L. & Hammell, K. L. Evaluation of external operculum loop tags to individually identify cage-cultured Atlantic halibut *Hippoglossus hippoglossus* in commercial research trials. *J Fish Biol* **80**, 2267–2280 (2012).

Takase, M., Murata, M., Hibi, K., Huifeng, R. & Endo, H. Development of mediator-type biosensor to wirelessly monitor whole cholesterol concentration in fish. *Fish Physiol Biochem* **40**, 385–394 (2014).

Takase, M. *et al.* Carbon nanotube enhanced mediator-type biosensor for real-time monitoring of glucose concentrations in fish. *Anal Bioanal Chem* **403**, 1187–1190 (2012).

Tanaka, H., Takagi, Y. & Naito, Y. Swimming speeds and buoyancy compensation of migrating adult chum salmon *Oncorhynchus keta* revealed by speed/depth/acceleration data logger. *J Exp Biol* **204**, 3895–3904 (2001).

Van Deurs, M. *et al.* Using accelerometry to quantify prey attack and handling behaviours in piscivorous pike *Esox lucius*. *J Fish Biol* **90**, 2462–2469 (2017).

Vinepinsky, E., Donchin, O. & Segev, R. Wireless electrophysiology of the brain of freely swimming goldfish. *J Neurosci Methods* **278**, 76–86 (2017).

Wang, C., Li, Z., Pan, Z. & Li, D. A High-Performance Optoelectronic Sensor Device for Nitrate Nitrogen in Recirculating Aquaculture Systems. *Sensors (Basel)* **18**, (2018).



Wu, H. *et al.* Fish stress become visible: a new attempt to use biosensor for real-time monitoring fish stress. *Biosens Bioelectron* **67**, 503–510 (2015).

Wu, H. *et al.* Real-time fish stress visualization came true: A novel multi-stage color-switching wireless biosensor system. *Biosens Bioelectron* (2018). doi:10.1016/j.bios.2018.09.042

Xu, D., Lv, Z., Zeng, H., Bessaih, H. & Sun, B. Sensor placement optimization in the artificial lateral line using optimal weight analysis combining feature distance and variance evaluation. *ISA Trans* (2018). doi:10.1016/j.isatra.2018.10.039

Yonemori, Y., Takahashi, E., Ren, H., Hayashi, T. & Endo, H. Biosensor system for continuous glucose monitoring in fish. *Anal Chim Acta* **633**, 90–96 (2009).

Yoneyama, Y. *et al.* Wireless biosensor system for real-time cholesterol monitoring in fish ‘Nile tilapia’. *Talanta* **80**, 909–915 (2009).

Young, A. H., Tytler, P. & Holliday, F. G. New developments in ultrasonic fish tracking. *Proc R Soc Edinb Nat Env.* **75**, 145–155 (1976).

Grey literature / websites

<https://www.akvagroup.com/home>
<https://nofima.no/en/nyhet/2016/05/smarter-sensors-for-higher-food-quality/>
<https://www.nanalyze.com/2018/06/benefits-aquaculture-iot-technology/>
<http://www.eglobalmark.com/wp-content/uploads/2018/06/2018-06-IoT-for-Aquaculture-4.0.pdf>
<http://ag.alltech.com/en/blog/8-digital-technologies-disrupting-aquaculture>
<https://www.iot-now.com/2018/02/22/77471-controlling-fish-farms-water-quality-smart-sensors-iran/>
<https://www.iot-now.com/2018/02/07/76476-robots-lasers-tackling-high-salmon-murder-rates-norway/>
<http://ijssst.info/Vol-17/No-31/paper28.pdf>
https://www.matec-conferences.org/articles/matecconf/pdf/2018/23/matecconf_icesti2018_01030.pdf
<http://jardcs.org/papers/v9/3034.pdf>
<https://www.japantimes.co.jp/life/2019/01/05/food/buoys-fisheries-aquaculture-join-internet-things/>
https://www.toyota-tsusho.com/english/press/detail/180821_004238.html
<https://enaca.org/?id=977>
<https://www.computer.org/csdl/proceedings/iacc/2017/1560/00/07976809.pdf>
<https://www.iadb.org/en/news/internet-things-improve-productivity-and-sustainability-trout-aquaculture-peru>
<https://www.the-iot-marketplace.com/libelium-thing-lorawan-smart-fish-farming-solution-kit>
<https://news.microsoft.com/en-my/2018/08/29/ai-and-fish-farming-high-tech-help-for-a-sushi-and-sashimi-favorite-in-japan/>
<http://www.biomer.com/en/global/articles/news/boosting-the-aquaculture-business-to-the-next-level/>
<https://globenewswire.com/news-release/2018/08/21/1554450/0/en/SHM-Selects-RTI-s-Connectivity-Framework-for-the-First-Global-Aquaculture-Industrial-IoT-Platform.html>



<http://agri.ckcest.cn/ass/NK006-20170911001.pdf>
<https://www.nutreco.com/en/News/Press-releases/nutreco-takes-share-in-iot-start-up-eruvaka-to-help-shrimp-farmers-increase/1576519>
<http://www.libelium.com/fish-farm-monitoring-in-vietnam-by-controlling-water-quality-in-ponds-and-tanks/>
http://www.iaeng.org/publication/WCECS2017/WCECS2017_pp42-46.pdf
<https://inventas.no/en/project/seasmart/>
<http://www.marketresearchblog.org/2018/12/05/aquaculture-meets-iot-a-unison-that-would-transform-the-fish-farming-industry/>
<https://ijabe.org/index.php/ijabe/article/viewFile/1486/pdf>
<http://www.medaid-h2020.eu/index.php/2017/09/08/aquaculture-key-player-feeding-the-planet/>
<https://www.aphrdi.ap.gov.in/documents/Trainings@APHRDI/2018/2-feb/machine%20learning/Smt.%20Chaitanya%201.pdf>
<https://ccafs.cgiar.org/news/swimming-towards-adaptation-climate-smart-aquaculture>
<https://www.hatcheryinternational.com/recirc/smart-farm-3302>
<https://www.tandfonline.com/doi/full/10.1080/23311916.2018.1542576>
<https://www.was.org/easonline/AbstractDetail.aspx?i=8644>
<https://www.ysi.com/applications/aquaculture>
https://www.sojitz.com/jp/news/docs/170808e_03.pdf
<https://eruvaka.com/>
<https://www.ibm.com/case-studies/the-seafood-innovation-cluster-hybrid-cloud-fish-farming>
<https://sciworthy.com/implanting-sensors-in-fish-to-monitor-their-stress-levels-in-the-wild/>
<https://www.hindawi.com/journals/js/2018/1060987/>
<https://oceanfrontierinstitute.com/research/novel-sensors-for-fish-health-and-welfare>
<https://www.sciencedirect.com/science/article/pii/S092540051631262X>
<https://sites.psu.edu/ist110pursel/2018/11/18/sensors-put-in-fish-to-monitor-stress-levels/>
<https://geminiresearchnews.com/2016/08/robot-vision-helps-detect-diseases-and-keep-fish-healthy/>
<https://thenewstack.io/eel-like-aquatic-robots-use-living-sensors-zero-water-pollution/>
<https://www.utwente.nl/en/eemcs/bios/research/electrochemicalsystems/growing-fish/>
<https://animalbiotelemetry.biomedcentral.com/articles/10.1186/s40317-015-0086-z>
<https://www.bio-logging.net/>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2679933/>
https://stud.epsilon.slu.se/10662/1/arvennorling_t_170831.pdf
<https://www.ncbi.nlm.nih.gov/pubmed/28160132>
<https://www.ncbi.nlm.nih.gov/pubmed/26592370>
https://avmajournals.avma.org/doi/full/10.2460/ajvr.75.4.402?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed&
<http://www.fao.org/docrep/018/i3325e/i3325e10.pdf>
<http://blog.worldfishcenter.org/2017/11/aquaculture-a-climate-smart-innovation-to-feed-the-world/>
<https://www.aquaculturealliance.org/advocate/fish-farmers-drones-health-feed-monitoring/>
<https://www.seafoodsource.com/news/aquaculture/drones-making-waves-in-aquaculture>
<http://www.fao.org/fishery/technology/aquaculture/en>



Session IV

Akaike, H. (1973). Information theory and an extension of the maximum likelihood principle. *Int. Symp. Inf. theory*, 267–281. doi:10.1007/978-1-4612-1694-0.

Alfonso, S., Zupa, W., Manfrin, A., Fiocchi, E., Dioguardi, M., Dara, M., et al. (2020). Surgical implantation of electronic tags does not induce medium - term effect : insights from growth and stress physiological profile in two marine fish species. *Anim. Biotelemetry* 8, 21. doi:10.1186/s40317-020-00208-w.

Arechavala-lopez, P., Lankheet, M. J., Díaz-gil, C., and Abbink, W. (2021). Swimming Activity of Gilthead Seabream (Sparus aurata) in Swim-Tunnels : Accelerations , Oxygen Consumption and Body Motion. 2, 1–14. doi:10.3389/fanim.2021.679848.

Basaran, F., Ozbilgin, H., and Ozbilgin, Y. D. (2007). Comparison of the swimming performance of farmed and wild gilthead sea bream, Sparus aurata. *Aquac. Res.* 38, 452–456. doi:10.1111/j.1365-2109.2007.01670.x.

Brett, J. R. (1964). The Respiratory Metabolism and Swimming Performance of Young Sockeye Salmon. *J. Fish. Res. Board Canada* 21, 1183–1226. doi:10.1139/f64-103.

Brett, J. R. (1972). The metabolic demand for oxygen in fish, particularly salmonids, and a comparison with other vertebrates. *Respir. Physiol.* 14, 151–170. doi:10.1016/0034-5687(72)90025-4.

Brijs, J., Føre, M., Gräns, A., Clark, T. D., Axelsson, M., and Johansen, J. L. (2021). Bio-sensing technologies in aquaculture: how remote monitoring can bring us closer to our farm animals. *Philos. Trans. R. Soc. B* 376. doi:<https://doi.org/10.1098/rstb.2020.0218>.

Brownscombe, J. W., Lennox, R. J., Danylchuk, A. J., and Cooke, S. J. (2018). Estimating fish swimming metrics and metabolic rates with accelerometers: the influence of sampling frequency. *J Fish Biol* 93, 207–214. doi:10.1111/jfb.13652.

Carbonara, P., Alfonso, S., Dioguardi, M., Zupa, W., Vazzana, M., Dara, M., et al. (2021). Calibrating accelerometer data, as a promising tool for health and welfare monitoring in aquaculture: Case study in European sea bass (*Dicentrarchus labrax*) in conventional or organic aquaculture. *Aquac. Reports* 21, 4–13. doi:10.1016/j.aqrep.2021.100817.

Carbonara, P., Corsi, I., Focardi, S., Lembo, G., Rochira, S., Scolamacchia, M., et al. (2010). The effects of stress induced by cortisol administration on the repeatability of swimming performance tests in the European sea bass (*Dicentrarchus labrax* L.). *Mar. Freshw. Behav. Physiol.* 43, 283–296. doi:10.1080/10236244.2010.504046.

Carbonara, P., Scolamacchia, M., Spedicato, M. T., Zupa, W., McKinley, R. S., and Lembo, G. (2015). Muscle activity as a key indicator of welfare in farmed European sea bass (*Dicentrarchus labrax* L. 1758). *Aquac. Res.* 46, 2133–2146. doi:10.1111/are.12369.



Carbonara, P., Zupa, W., Bitetto, I., Alfonso, S., Dara, M., and Cammarata, M. (2020). Evaluation of the Effects of the Enriched-Organic Diets Composition on European Sea Bass Welfare through a Multi-Parametric Approach. *J. Mar. Sci. Eng.* 8, 934.

Chabot, D., McKenzie, D. J., and Craig, J. F. (2016a). Metabolic rate in fishes: definitions, methods and significance for conservation physiology. *J. Fish Biol.* 88, 1–9. doi:10.1111/jfb.12873.

Chabot, D., Steffensen, J. F., and Farrell, A. P. (2016b). The determination of standard metabolic rate in fishes. *J. Fish Biol.* 88, 81–121. doi:10.1111/jfb.12845.

Claireaux, G., Couturier, C., and Groison, A.-L. (2006). Effect of temperature on maximum swimming speed and cost of transport in juvenile European sea bass (*Dicentrarchus labrax*). *J. Exp. Biol.* 209, 3420–3428. doi:10.1242/jeb.02346.

Cooke, S. J., Chandroo, K. P., Beddow, T. A., Moccia, R. D., and McKinley, R. S. (2000). Swimming activity and energetic expenditure of captive rainbow trout *Oncorhynchus mykiss*(Walbaum) estimated by electromyogram telemetry. *Aquac. Res.* 31, 495–505. doi:10.1046/j.1365-2109.2000.00470.x.

Cruz-Font, L., Shuter, B. J., and Blanchfield, P. J. (2016). Energetic costs of activity in wild lake trout: A calibration study using acceleration transmitters and positional telemetry. *Can. J. Fish. Aquat. Sci.* 73, 1237–1250. doi:10.1139/cjfas-2015-0323.

Farrell, A. P., Lee, C. G., Tierney, K., Hodaly, A., Clutterham, S., Healey, M., et al. (2003). Field-based measurements of oxygen uptake and swimming performance with adult Pacific salmon using a mobile respirometer swim tunnel. *J. Fish Biol.* 62, 64–84. doi:10.1046/j.0022-1112.2003.00010.x.

Føre, M., Frank, K., Norton, T., Svendsen, E., Alfredsen, J. A., Dempster, T., et al. (2018). Precision fish farming: A new framework to improve production in aquaculture. *Biosyst. Eng.* 173, 176–193. doi:10.1016/j.biosystemseng.2017.10.014.

Fry, F. E. J. (1947). Effects of the environment on animal activity. *Publ. Ontario Fish. Res. Lab.* 68, 1–62.

Geist, D. R., Brown, R. S., Cullinan, V. I., Mesa, M. G., Vanderkooi, S. P., and McKinstry, C. A. (2003). Relationships between metabolic rate, muscle electromyograms and swim performance of adult chinook salmon. *J. Fish Biol.* 63, 970–989. doi:10.1046/j.1095-8649.2003.00217.x.

Halachmi, I., Guarino, M., Bewley, J., and Pastell, M. (2019). Smart Animal Agriculture: Application of Real-Time Sensors to Improve Animal Well-Being and Production. *Annu. Rev. Anim. Biosci.* 7, 403–425. doi:10.1146/annurev-animal-020518-114851.

Ibarz, A., Fernández-Borràs, J., Blasco, J., Gallardo, M. A., and Sánchez, J. (2003). Oxygen consumption and feeding rates of gilthead sea bream (*Sparus aurata*) reveal lack of acclimation to cold. *Fish Physiol. Biochem.* doi:10.1007/s10695-004-3321-8.



Kline, R. J., Parkyn, D. C., and Murie, D. J. (2015). Empirical Modelling of Solid-blocking Effect in a Blazka Respirometer for Gag, a Large Demersal Reef Fish. *Adv. Zool. Bot.* 3, 193–202. doi:10.13189/azb.2015.030501.

Lembo, G., Carbonara, P., Scolamacchia, M., Spedicato, M. T., Bjørnsen, J. E., Holand, B., et al. (2008). Introduction of a new physiological acoustic electromyogram transmitter. *Fish. Manag. Ecol.* 15, 333–338. doi:10.1111/j.1365-2400.2008.00638.x.

Lembo, G., Carbonara, P., Scolamacchia, M., Spedicato, M. T., and McKinley, R. S. (2007). Use of muscle activity indices as a relative measure of well-being in cultured sea bass *Dicentrarchus labrax* (Linnaeus, 1758). *Hydrobiologia* 582, 271–280. doi:10.1007/s10750-006-0538-9.

Martos-Sitcha, J. A., Simó-Mirabet, P., Piazzon, M. C., de las Heras, V., Calduch-Giner, J. A., Puyalto, M., et al. (2018). Dietary sodium heptanoate helps to improve feed efficiency, growth hormone status and swimming performance in gilthead sea bream (*Sparus aurata*). *Aquac. Nutr.* 24, 1638–1651. doi:10.1111/anu.12799.

Massee, K. C., Rust, M. B., Hardy, R. W., and Stickney, R. R. (1995). The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish. *Aquaculture* 134, 351–359. doi:10.1016/0044-8486(95)00057-9.

McFarlane, W. J., Cubitt, K. F., Williams, H., Rowsell, D., Moccia, R., Gosine, R., et al. (2004). Can feeding status and stress level be assessed by analyzing patterns of muscle activity in free swimming rainbow trout (*Oncorhynchus mykiss* Walbaum)? *Aquaculture* 239, 467–484. doi:10.1016/j.aquaculture.2004.05.039.

McKenzie, D. J. (2001). Effects of dietary fatty acids on the respiratory and cardiovascular physiology of fish. *Comp. Biochem. Physiol. Part A Mol. Integr. Physiol.* 128, 605–619.

Norin, T., and Clark, T. D. (2016). Measurement and relevance of maximum metabolic rate in fishes. *J. Fish Biol.* 88, 122–151. doi:10.1111/jfb.12796.

Perera, E., Rosell-Moll, E., Martos-Sitcha, J. A., Naya-Català, F., Simó-Mirabet, P., Calduch-Giner, J., et al. (2021). Physiological trade-offs associated with fasting weight loss, resistance to exercise and behavioral traits in farmed gilthead sea bream (*Sparus aurata*) selected by growth. *Aquac. Reports* 20, 100645. doi:10.1016/j.aqrep.2021.100645.

R Development Core Team (2021). R Software. R A Lang. *Environ. Stat. Comput. R Found. Stat. Comput.* Vienna, Austria. Available at: <https://www.r-project.org/>.

Remen, M., Nederlof, M. A. J., Folkeidal, O., Thorsheim, G., Sitjà-Bobadilla, A., Pérez-Sánchez, J., et al. (2015). Effect of temperature on the metabolism, behaviour and oxygen requirements of *Sparus aurata*. *Aquac. Environ. Interact.* 7, 115–123. doi:10.3354/aei00141.

Smit, H., Amelink-Koutstaal, J. M., Vijverberg, J., and Von Vaupel-Klein, J. C. (1971). Oxygen consumption and efficiency of swimming goldfish. *Comp. Biochem. Physiol. -- Part A Physiol.* 39, 1–28. doi:10.1016/0300-9629(71)90343-4.



Steinhausen, M. F., Steffensen, J. F., and Andersen, N. G. (2010). The effects of swimming pattern on the energy use of gilthead seabream (*Sparus aurata* L.). *Mar. Freshw. Behav. Physiol.* 43, 227–241. doi:10.1080/10236244.2010.501135.

Wilson, S. M., Hinch, S. G., Eliason, E. J., Farrell, A. P., and Cooke, S. J. (2013). Calibrating acoustic acceleration transmitters for estimating energy use by wild adult Pacific salmon. *Comp. Biochem. Physiol. - A Mol. Integr. Physiol.* 164, 491–498. doi:10.1016/j.cbpa.2012.12.002.

Wright, S., Metcalfe, J. D., Hetherington, S., and Wilson, R. (2014). Estimating activity-specific energy expenditure in a teleost fish, using accelerometer loggers. *Mar. Ecol. Prog. Ser.* 496, 19–32. doi:10.3354/meps10528.

Zupa, W., Alfonso, S., Gai, F., Gasco, L., Spedicato, M. T., Lembo, G., et al. (2021). Calibrating Accelerometer Tags with Oxygen Consumption Rate of Rainbow Trout (*Oncorhynchus mykiss*) and Their Use in Aquaculture Facility : A Case Study. *Animals* 11, 1496.

Zupa, W., Carbonara, P., Spedicato, M. T., and Lembo, G. (2015). Modelling swimming activities and energetic costs in European sea bass (*Dicentrarchus labrax* L., 1758) during critical swimming tests. *Mar. Freshw. Behav. Physiol.* doi:10.1080/10236244.2015.1073456.

